





Wood-look colours

ALUPROF COLOR COLLECTION

- · Decoral System coatings make it possible to obtain surfacesthat imitate wood, marble and other patterns
- · the technology meets the Qualicoat and Qualideco requirements
- · coating for aluminium profiles and flat sheets
- \cdot any pattern can be ordered from the full range of colours*

Our basic range encompasses:

	3
ADEC B108	- Beech
ADEC C106	– Dark Gean
ADEC C146	– Gean
ADEC C247	– Gean
ADEC D101	– Golden Oak
ADEC D246	– Rustic Oak
ADEC D349	– Golden Oak
ADEC D502	– Swamp Oal
ADEC D825	– Vintage Oa

• ADEC E137 - Concrete · ADEC J107 ADEC K101 Chestnut · ADEC M102 - Ebony · ADEC M103 – Mahogany ADEC M204 - Sapele Mahogany • ADEC M332 – Palisander • ADEC 0102 – Walnut • ADEC 0205 – Vein Walnut – Walnut · ADEC 0650 • ADEC T151 – Turner Oak • ADEC W109 - Cherry • ADEC W205 - Wenge

• ADEC W645 - Winchester



WOOD-LOOK COLOURS / ALUPROF COLOR COLLECTION

COLLABORATING WITH DECORAL



The foils and equipment for wrapping aluminium profiles are supplied by Decoral. The company's range encompasses complete lines and consumables in the form of foils and powder coatings.

Decoral System® is a leading company in the world of wrapping.

Its wealth of knowledge about the production of powder coatings, wrapping foils and equipment produces results in the form of top quality and performance.

The company provides advice on selecting powder coatings in line with a client's specific requirements.

PRODUCTION AND TECHNICAL DETAILS







A typical **Decoral®** wrapping process begins with preparing the surface as required. This is followed by the powder coating, using standard equipment for the purpose. To meet the requirements of our many clients, we use Qualicoat-certified powders as the wrapping base.

The pigments on the **Decoral®** wrapping foils, which hold a Qualideco certificate, are transferred to the powder coating. We can copy every pattern.

THIS IS NOT ADHESIVE FOIL!




Atemperature of around 200°C is required during the production process. The exact temperature depends on the foil selected. Temperature and vacuum stability are guaranteed by the supplier of the equipment.

Decoral® equipment is designed to decorate the entire surface of profiles, metal sheets and 3D objects of any size and shape.

Its advanced engineering capabilities and the experience acquired over many years enables **Decoral System®** to provide state-of-the-art equipment which is intended for the industrial sector and can be adapted to the needs of the company's numerous clients.

WOOD-LOOK COLOURS / ALUPROF COLOR COLLECTION

PRODUCTION. STEP BY STEP



STEP 1: Raw aluminium



STEP 2:
The aluminium is pretreated



The coated aluminium



The finished design applied to the aluminium

INSPECTION AND WARRANTY

The production of decorated profiles using the wrapping process is subject to periodic inspection, the details of which are set out in the Qualideco requirements.

The warranty period for the adhesion of powder coating is 15 years. The resistance of powder coating to discolouration and loss of gloss is specified in the technical requirements of the Qualideco Quality Mark available at www.qualicoat.net



WOOD-LOOK COLOURS / ALUPROF COLOR COLLECTION







ALUPROF SA